Birth Defects Profile in Michigan **Prosperity Region 6**

(Genesee, Huron, Lapeer, Saint Clair, Sanilac, Shiawassee, and Tuscola counties)



Birth Defects in Region 6 (2013-2019)

- ❖ An average of 9,087 infants born in Region 6 each year.
- ❖ Approximately 1,100 of these infants were born with a birth defect.
- Hypospadias and Trisomy 21 were the most prevalent birth defects in Michigan and Prosperity Region 6 (Table 1).
- The prevalence of hypospadias is lower in Prosperity Region 6 [29.9 (95% Confidence Interval (CI): 25.6-34.1)] than Michigan as a whole [39.0 (95% CI: 37.6-40.4)].
- The prevalence of all other birth defects was similar between Prosperity Region 5 and Michigan as a whole.

Michigan Birth Defects Registry (MBDR)

- By law, hospitals and medical labs report certain health conditions affecting children at birth or up to 2 years of age.
- MBDR information is confidential. It is used to:
 - Calculate baseline rates.
 - * Analyze trends.
 - Identify and respond to public health concerns.
- MBDR data helps us understand health and development needs, identify causes, and share prevention strategies.

Table 1. Prevalence of Selected Birth Defects within Prosperity Region 6 and the State of Michigan, 2013-2019

	Prosperity Region 6		Michigan	
Birth Defect	Number of Cases	Prevalence (per 10,000 live births)	Number of Cases	Prevalence (per 10,000 live births)
Anencephaly	*	*	69	0.9
Cleft Lip with Cleft Palate	47	7.4	517	6.6
Cleft Lip without Cleft Palate	14	2.2	264	3.4
Cleft Palate without Cleft Lip	50	7.9	541	6.9
Gastroschisis	43	6.8	321	4.1
Hypoplastic Left Heart Syndrome	28	4.4	308	3.9
Hypospadias	190	29.9	3052	39.0
Limb Deficiencies	25	3.9	308	3.9
Spina Bifida	33	5.2	326	4.2
Tetralogy of Fallot	50	7.9	406	5.2
Transposition of the Great Arteries	23	3.6	298	3.8
Trisomy 21	72	11.3	1010	12.9
Total Number of Live Births	63,611		782,227	
* Data suppressed due to small birth defects counts $(1 \le N \le 5)$,				

MBDR Data Limitations and Cautions

- Data are based on passive reporting, which means MBDR relies on facilities to identify and report cases of birth defects. Getting all facilities to report complete and timely data can be a challenge.
- Some facilities report children with a birth defect that is later "ruled out" resulting in an overcount of the actual number of cases.
- Children diagnosed and treated in facilities in other states may be missed, which will significantly affect the completeness of data for Michigan's border counties.

Birth Characteristics among all Mothers and Babies

Between 2013 and 2019, roughly 9,087 babies were born in Prosperity Region 6 each year.

During an average year in Prosperity Region 6:

Mother's Race and Ethnicity

- 7,040, or 78 percent of, infants were born to white, non-Hispanic mothers.
- 1,420, or 16 percent of, infants were born to Black, non-Hispanic mothers.
- 250, or 3 percent of, infants were born to all other non-Hispanic mothers.
- ❖ **360**, or **4 percent** of, infants were born to **Hispanic** mothers.

Mom's Socioeconomic and Educational Status

- 4,690, or 52 percent of, all births reported Medicaid as the intended payer.
- ❖ 1,140, or 13 percent of, infants were born to mothers with less than a high school education.
- 2,480, or 27 percent of, infants were born to mothers who had a high school education.
- 3,730, or 41 percent of, infants were born to mothers who had some college or an associate degree.
- 1,720, or 19 percent of, infants were born to mothers who had a college degree.

Data source: Michigan resident live birth files, MDHHS, Division of Vital Records and Health Statistics, 2013-2019.





Mom's Age

- 610, or 7 percent of, infants were born to teenage mothers (15 to 19 years).
- ❖ 7,480, or 82 percent of, infants were born to mothers 20 to 34 years of age.
- ❖ 990, or 11 percent of, infants were born to mothers 35 years of age or older.

Mom and Baby Health Before, During, and After Pregnancy

- 5,000, or 55 percent of, infants were born to mothers who were overweight or obese.
- 2,070, or 23 percent of, infants were born to mothers who used tobacco during pregnancy.
- 1,260, or 14 percent of, infants were born prematurely.
- * 808, or 9 percent of, infants were born at a low birth weight.
- 100, or 1 percent of, infants were born to mothers who had pre-pregnancy diabetes type 1 or type 2.



